R32 Mini On/Off heat pump

Model	GHD-150-0318	GHD-150-0319	GHD-150-0320
Advised pool volume (m3)	5~10	8~18	12~25
Operating air temperature (C)	10~43		
Performance Condition: Air 26°C, Water 26°C, Humidity 80%			
Heating capacity (kW)	3.3	5.8	7.0
COP	5.5	6.5	6.6
Performance Condition: Air 15°C, Water 26°C, Humidity 70%			
Heating capacity (kW)	2.2	3.8	4.8
COP	4.1	4.5	4.7
Sound pressure at 1m dB(A)	56	57	59
Sound pressure at 10m dB(A)	36	37	39
Heat exchanger	Titanium Heat Exchanger		
Casing Metal			
Power supply	230V/1PH/50Hz		
Power Consumption at air 15°C (kW)	0.54	0.84	1.02
Rated input current at air 15°C (A)	2.35	3.65	4.43
Advised water flux (m ³ /h)	1-2	2-3	3-4
Water pipe in-out size (mm)		32/38	
Net Dimension LxWxH (mm)	412×367×425	484×445×503	484×445×503
Net weight (kg)	24	34	38
Qty per 20'FT / 40'HQ (sets)	240/600	160/352	160/352

* The advised pool volume indicated applies under following conditions: Swimming pool is well covered; system runs at least 15 hours per day; The final specs will be in accordance with the specs on the product.


((




R32 Mini Heat pump

Mini heat pump is suitable for all families that have a above ground pool. At the beginning of the swimming season, everyone is eager to jump into the pool and enjoy the good times with their families. Mini heat pump is light, easy to install, and can be portable everywhere. With the exquisite appearance and perfect performance, it allows you to enjoy an excellent swimming season.

• Easy for installation, Plug & Play available



• Heating water up to 40°C



• Super energy saving, pay 1kW get 4.5kW energy in return



• Eco-friendly Gas R32 R32 Heat pump can reduce 75% of global warming gas emissions

