

**Shower enclosures  
Construction products regulation**

**Declaration of performance No. :**

**207994 / 0021/ 2017**

- (1) Unique identification code of the product-type:  
**\*(see list attached)**  
\_\_\_\_\_
  
- (2) Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):  
**\*\* (see list attached)**  
\_\_\_\_\_
  
- (3) Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:  
**Personal hygiene**  
\_\_\_\_\_
  
- (4) Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):  
**Adeo Services, 135 Rue sadi carnot, CS 00001, 59790 Ronchin - France**  
\_\_\_\_\_
  
- (5) Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):  
-  
\_\_\_\_\_
  
- (6) System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:  
**4**  
\_\_\_\_\_
  
- (7) In case of the declaration of performance concerning a construction product covered by a harmonised standard:  
**SGS CSTC STANDARDS TECHNICAL SERVICES (SHANGHAI) CO., LTD**  
(name and identification number of the notified body, if relevant)  
performed **testing laboratory** \_\_\_\_\_ nder system **4**  
(description of the third party tasks as set out in Annex V)  
and issued **SHHL1708047472CE(SHHL1708047472CEC)**  
**SHHL1708047473CE(SHHL1708047472CEC)**  
(certificate of constancy of performance, certificate of conformity of the factory production control, test/calculation reports – as relevant)  
\_\_\_\_\_
  
- (8) In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:  
-  
\_\_\_\_\_ (name and identification number of the Technical Assessment Body, if relevant)  
issued - \_\_\_\_\_  
(reference number of the European Technical Assessment)  
on the basis of - \_\_\_\_\_  
(reference number of the European Assessment Document)  
performed - \_\_\_\_\_ nder system - \_\_\_\_\_  
(description of the third party tasks as set out in Annex V)  
and issued - \_\_\_\_\_

(certificate of constancy of performance, certificate of conformity of the factory production control, test/calculation reports – as relevant)

(9) Declared performance

Notes to the table.

1. Column 1 shall contain the list of essential characteristics as determined in the harmonised technical specifications for the intended use or uses indicated in point 3
2. For each essential characteristic listed in column 1 and in compliance with the requirements of Article 6, column 2 shall contain the declared performance, expressed by level or class, or in a description, related to the corresponding essential characteristics. The letters "NPD" (No Performance Determined) shall be indicated
3. For each essential characteristic listed in column 1, column 3 shall contain:
  - (a) dated reference of the corresponding harmonised standard and, where relevant, the reference number of the Specific or Appropriate Technical Documentation used;  
or
  - (b) dated reference of the corresponding European Assessment Document where available and reference number of the European Technical Assessment used.

Essential characteristics (see Note 1)	Performance (see Note 2)	Harmonised technical specification (see Note 3)
<b>Cleanability</b>	<b>Pass</b>	<b>EN 14428:2015</b>
<b>Impact resistance / shatter properties</b>	<b>Pass</b>	<b>EN 14428:2015</b>
<b>Durability</b>	<b>Pass</b>	<b>EN 14428:2015</b>
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies:

-  
-

- (10) The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

**Gael CONSIGNY**

**Asian Quality Director Global Sourcing**

**Authorized representative of Bruno Pottie, Director of Global Sourcing Shared Service Center**

**ADEO Services 135 Rue Sadi Carnot - CS 00001 59790 RONCHIN – France**

(name and function)

**Shanghai**

(place)

**13/09/2017**

(date of issue)



(signature)

**Shower enclosures**  
**Construction products regulation**

DÉCLARATION DES PERFORMANCES No. :

**207994 / 0021/ 2017**

- (1) Code d'identification unique du produit type:  
**\*(see list attached)**
- 
- (2) Numéro de type, de lot ou de série ou tout autre élément permettant l'identification du produit de construction, conformément à l'article 11, paragraphe 4:  
**\*\* (see list attached)**
- 
- (3) Usage ou usages prévus du produit de construction, conformément à la spécification technique harmonisée applicable, comme prévu par le fabricant:  
**Personal hygiene**
- 
- (4) Nom, raison sociale ou marque déposée et adresse de contact du fabricant, conformément à l'article 11, paragraphe 5:  
**Adeo Services, 135 Rue sadi carnot, CS 00001, 59790 Ronchin - France**
- 
- (5) Le cas échéant, nom et adresse de contact du mandataire dont le mandat couvre les tâches visées à l'article 12, paragraphe 2:  
-
- 
- (6) Le ou les systèmes d'évaluation et de vérification de la constance des performances du produit de construction, conformément à l'annexe V:  
**4**
- 
- (7) Dans le cas de la déclaration des performances concernant un produit de construction couvert par une norme harmonisée:  
**SGS CSTC STANDARDS TECHNICAL SERVICES (SHANGHAI) CO., LTD**  
(nom et numéro d'identification de l'organisme notifié, le cas échéant)  
a réalisé **testing laboratory** selon le système **4**  
(description des tâches à exécuter par une tierce partie conformément à l'annexe V)  
a délivré **SHHL1708047472CE(SHHL1708047472CEC)**  
**SHHL1708047473CE(SHHL1708047472CEC)**  
(le certificat de constance des performances, le certificat de conformité du contrôle de la production en usine, les rapports d'essais/calculs – le cas échéant)
- 
- (8) Dans le cas de la déclaration des performances concernant un produit de construction pour lequel une évaluation technique européenne a été délivrée:  
-  
(nom et numéro d'identification de l'organisme d'évaluation technique, le cas échéant)  
a délivré -  
(numéro de référence de l'évaluation technique européenne)  
sur la base de -  
(numéro de référence du document d'évaluation européen)  
a réalisé - selon le système -  
(description des tâches à exécuter par une tierce partie conformément à l'annexe V)  
a délivré -

(le certificat de constance des performances, le certificat de conformité du contrôle de la production en usine, les rapports d'essais/calculs – le cas échéant)

(9) Performances déclarées

Notes relatives au tableau:

1. La colonne 1 contient la liste des caractéristiques essentielles définies dans les spécifications techniques harmonisées pour l'usage ou les usages prévus indiqués au point 2.
2. Pour chaque caractéristique essentielle citée dans la colonne 1 et conformément aux prescriptions de l'article 6, la colonne 2 contient les performances déclarées, exprimées par niveau ou classe ou au moyen d'une description, correspondant aux caractéristiques essentielles respectives. Les lettres "NPD" (performance non déterminée) sont mentionnées lorsque les performances ne sont pas déclarées;
3. Pour chaque caractéristique essentielle citée dans la colonne 1, la colonne 3 contient:
  - a) une référence datée à la norme harmonisée correspondante et, le cas échéant, le numéro de référence de la documentation technique spécifique ou appropriée utilisée; ou
  - b) une référence datée au document d'évaluation européen correspondant, le cas échéant, et le numéro de référence de l'évaluation technique européenne utilisée.

Caractéristiques essentielles (voir note 1)	Performances (voir note 2)	Spécifications techniques harmonisées
<b>Cleanability</b>	<b>Pass</b>	<b>EN 14428:2015</b>
<b>Impact resistance / shatter properties</b>	<b>Pass</b>	<b>EN 14428:2015</b>
<b>Durability</b>	<b>Pass</b>	<b>EN 14428:2015</b>
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

Lorsque, conformément à l'article 37 ou 38, la documentation technique spécifique a été utilisée, les exigences remplies par le produit:

-

-

- (10) Les performances du produit identifié aux points 1 et 2 sont conformes aux performances déclarées indiquées au point 9.  
La présente déclaration des performances est établie sous la seule responsabilité du fabricant identifié au point 4.

Signé pour le fabricant et en son nom par:

**Gael CONSIGNY**

**Asian Quality Director Global Sourcing**

**Authorized representative of Bruno Pottie, Director of Global Sourcing Shared Service Center**

**ADEO Services 135 Rue Sadi Carnot - CS 00001 59790 RONCHIN – France**


(nom et fonction)

**Shanghai**

(lieu de délivrance)

**13/09/2017**

(date)

  
ADEO Services SA  
135 Rue Sadi Carnot  
CS00001  
59790 RONCHIN

(signature)

207994 / 0021/ 2017  
SHHL1708047472CE

Appendix

*Model No.	**Description	**EAN Code
EA-DF30-S-C	EASY, DEFLECTOR, 30*195, SILVER PROFILE, 6MM CLEAR GLASS	3276000334361
EA-DF30-S-F	EASY, DEFLECTOR, 30*195, SILVER, 6MM PRINTED SERIGRAPHY GLASS	3276000334378
EA-WD830-S-C	EASY WALK IN WITH DEFLECTOR(80+30)*195,SILVER PROFILE,6MM CLEAR GLASS	3276000334309
EA-WD830-S-F	EASY WALK IN WITH DEFLECTOR(80+30)*195,SILV PROF,6MM PRINT SERI GLASS	3276000334316
EA-WD930-S-C	EASY WALK IN WITH DEFLECTOR ,(90+30)*195,SILVER PROF, 6MM CLEAR GLASS	3276000334323
EA-WD930-S-F	EASY WALK IN WITH DEFLECTOR(90+30)*195,SILV PROF,6MM PRINT SERI GLASS	3276000334330
EA-WD1030-S-C	EASY, WALK IN WITH DEFLECTOR, (100+30)*195, SILVER PROFILE, 6MM CLEAR GLASS	3276000345879
EA-WD1030-S-F	EASY, WALK IN WITH DEFLECTOR, (100+30)*195, SILVER PROFILE, 6MM PRINTED SERIGRAPHY GLASS	3276000345886
EA-WD1230-S-C	EASY WALK IN WITH DEFLECTOR,(120+30)*195,SILV PROF,6MM CLEAR GLASS	3276000334385
EA-WD1230-S-F	EASY WALK IN WITH DEFLECTO(120+30)*195 SILV PROF 6MM PRINT SERI GLASS	3276000334392

SHHL1708047473CE

Model No.	*Description	**EAN Code
EA-WI70-S-C	EASY, WALK IN, 70*195, SILVER PROFILE, 6MM CLEAR GLASS	3276000339090
EA-WI70-S-F	EASY, WALK IN, 70*195, SILVER PROFILE, 6MM PRINTED SERIGRAPHY GLASS	3276000334194
EA-WI80-S-C	EASY, WALK IN, 80*195, SILVER PROFILE, 6MM CLEAR GLASS	3276000334200
EA-WI80-S-F	EASY, 80*195, WALK IN, SILVER PROFILE, 6MM PRINTED SERIGRAPHY GLASS	3276000334217
EA-WI90-S-C	EASY, 90*195, WALK IN, SILVER PROFILE, 6MM CLEAR GLASS	3276000334262
EA-WI90-S-F	EASY, 90*195, WALK IN, SILVER PROFILE, 6MM PRINTED SERIGRAPHY GLASS	3276000334279
EA-WI100-S-C	EASY, 100*195, WALK IN, SILVER PROFILE, 6MM CLEAR GLASS	3276000334286
EA-WI100-S-F	EASY, WALK IN, 100*195, SILVER PROFILE, 6MM PRINTED SERIGRAPHY GLASS	3276000334293

EA-WI120-S-C	EASY, WALK IN, 120*195, SILVER PROFILE, 6MM CLEAR GLASS	3276000334347
EA-WI120-S-F	EASY, WALK IN, 120*195, SILVER PROFILE, 6MM PRINTED SERIGRAPHY GLASS	3276000334354

Remark:For batch number, please refer to the product