
		<b>KH 18 LTX BL 24</b>	<b>KH 18 LTX BL 24 Q</b>	<b>KH 18 LTX BL 28 Q</b>
		*1) Serial Number: 01713..	*1) Serial Number: 01714..	*1) Serial Number: 01715..
		SDS-plus	SDS-plus	SDS-plus
<b>U</b>	<b>V</b>	18	18	18
<b>n<sub>1</sub></b>	<b>/min</b>	0 - 1280	0 - 1280	0 - 1000
<b>n<sub>2</sub></b>	<b>/min</b>	1280	1280	1000
<b>s<sub>max</sub></b>	<b>/min bpm</b>	4750	4750	4470
<b>W (EPTA 05/2009)</b>	<b>J</b>	2,2	2,2	3,0
<b>D<sub>1</sub></b>	<b>mm (in)</b>	24 (1)	24 (1)	28 (1 <sup>3</sup> / <sub>32</sub> )
<b>D<sub>2</sub></b>	<b>mm (in)</b>	82 (3 <sup>7</sup> / <sub>32</sub> )	82 (3 <sup>7</sup> / <sub>32</sub> )	82 (3 <sup>7</sup> / <sub>32</sub> )
<b>D<sub>3</sub></b>	<b>mm (in)</b>	68 (2 <sup>5</sup> / <sub>8</sub> )	68 (2 <sup>5</sup> / <sub>8</sub> )	68 (2 <sup>5</sup> / <sub>8</sub> )
<b>D<sub>4</sub></b>	<b>mm (in)</b>	13 (1/2)	13 (1/2)	13 (1/2)
<b>D<sub>5</sub></b>	<b>mm (in)</b>	30 (1 <sup>1</sup> / <sub>8</sub> )	30 (1 <sup>1</sup> / <sub>8</sub> )	30 (1 <sup>1</sup> / <sub>8</sub> )
<b>m</b>	<b>kg (lbs)</b>	2,7 (5.95)	3,0 (6.61)	3,4 (7.5)
<b>D</b>	<b>mm (in)</b>	43 (1 <sup>11</sup> / <sub>16</sub> )	50 (2 <sup>1</sup> / <sub>16</sub> )	50 (2 <sup>1</sup> / <sub>16</sub> )
<b>a<sub>h,HD</sub>/K<sub>h,HD</sub></b>	<b>m/s<sup>2</sup></b>	9,6 / 1,5	9,6 / 1,5	13,9 / 1,5
<b>a<sub>h,Cheq</sub>/K<sub>h,Cheq</sub></b>	<b>m/s<sup>2</sup></b>	7,7 / 1,5	7,7 / 1,5	7,7 / 1,8
<b>L<sub>pA</sub>/K<sub>pA</sub></b>	<b>dB (A)</b>	88 / 3	88 / 3	89 / 3
<b>L<sub>WA</sub>/K<sub>WA</sub></b>	<b>dB (A)</b>	99 / 3	99 / 3	100 / 3


 \*2) 2014/30/EU, 2006/42/EC, 2011/65/EU  
 \*3) EN 60745-1:2009+A11:2010, EN 60745-2-6:2010, EN IEC 63000:2018

2021-05-03, Bernd Fleischmann  
 Direktor Produktentstehung & Qualität (Vice President Product Engineering & Quality)  
 \*4) Metabowerke GmbH - Metabo-Allee 1 - 72622 Nuertingen, Germany

ppa. B.F.