Model identifier	(s): RIGA								
Indirect heating	functionality	: no							
Direct heatoutpu	it: 3.0 (kW)								
Indirect heatoutp	out: 0 (kW)								
					Space hea	ting emissic	ons (*)		
Fuel					l l		NOx		
Select fuel type		gaseo	gaseous		GPL	N.A. [mg/kWh _{input}] (GCV)			
Item	Symbol	Value	Unit		Item	Symbol	Value	Unit	
Heat output				Use	Useful efficiency (NCV)				
Nominal heat	P _{nom}	3.0	kW		eful efficiency at	$\eta_{\mathrm{th,nom}}$	100	%	
output Minimum heat					ninal heat output eful efficiency at	(ui,iioiii			
output	P _{min}	1.8	kW	min	imum heat	$\eta_{th,min}$	100	%	
(indicative)				out	put (indicative)				
				Tvr	oe of heat output/	 room tempe	 erature con	 trol	
Auxiliary electr	ricity consul	nption	1	(sel	(select one)				
At nominal heat output	el _{max}	0	kW		Single stage heat output, no room temperature control			no	
At minimum heat output	el_{min}	0	kW		two or more manual stages, no room temperature control		yes		
In standby mode	el_{SB}	0	kW	witl	with mechanic thermostat room temperature control			no	
	•		1		h electronic room	temperature	e control	no	
					h electronic room s day timer	temperatur	e control	no	
				witl	with electronic room temperature control plus week timer				
				Oth	Other control options (multiple selections possible)				
					room temperature control, with presence detection				
					Room temperature control, with open window detection				
				witl	with distance control option				
				with	h adaptive start co	ontrol		no	
				witl	h working time li	mitation		no	
				witl	with black bulb sensor				
Permanent pilot	flame power	r require	ment						
Pilot flame power requirement (if applicable)	P _{pilot}	0.17	kW						
Contact details									
(*) NOx = nitrog	gen oxides								

Product fiche

supplier's name	Favex		
supplier's model identifier	RIGA		
the energy efficiency class	A		
the direct heat output in kW	3.0		
the indirect heat output in kW	0		
the energy efficiency index	88%		
the useful energy efficiency at nominal heat	100%		
output			