



Light Source Technical DataSheet

EAN	3276007333503
Product Supplier reference	G18082WH
Type of product	Containing product
Supplier's address	ADEO Services - 135 rue Sadi Carnot - CS00001. 59790 RONCHIN
Supplier's name or trade mark	INSPIRE
Replaceability of Light source	by qualified person
Light sources maker model	G18082-FGL-MZ-2835-D
Link to EU Product Data base	https://eprel.ec.europa.eu/screen/product/lightsources/0
Spectral power distribution in the range 250 nm to 800 nm. at full-load	<p>The graph shows the relative intensity of the light source across a wavelength range from 380 nm to 1000 nm. The y-axis represents relative intensity from 0.0 to 1.2. The x-axis represents wavelength in nm. A prominent peak is visible at approximately 675 nm, reaching a relative intensity of about 1.0. The spectrum is colored with a rainbow gradient, with blue at the lower wavelength end and red at the higher wavelength end.</p>
If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage	Not Applicable
Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU	Electrical product must not be thrown out with domestic waste. They must be taken to a communal collecting point for environmentally friendly disposal in accordance with local regulations. Contact your local authorities or stockist for advice on recycling.

