taken to a communal collecting point for environmentally friendly dispose accordance with local regulations. Contact your local authorities or stock advice on recycling.  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  No-load power (Pno) (W)  Taken to a communal collecting point for environmentally friendly disposaccordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations.	(QUALITY) adeo	Light Source Technical DataSheet
Type of product  Supplier's address  ADEO Services - 135 rue Sadi Carnot - CS00001. 59790 RONCHIN  Supplier's name or trade mark  Replaceability of Light source  Replaceability of separate control gears  Light sources maker model  Link to EU Product Data base  The reference control settings, and instructions on how they can be implemented, where applicable  If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source  / Driver at the end of its life Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HiD);  Type of light source(s) for which it is intended  Efficiency in full-load  NA		
Supplier's address  ADEO Services - 135 rue Sadi Carnot - CS00001. 59790 RONCHIN Supplier's name or trade mark Replaceability of Light source Replaceability of Separate control gears Light sources maker model Link to EU Product Data base  https://eprel.ec.europa.eu/screen/product/lightsources/0  Spectral power distribution in the range 250 nm to 800 nm. at full-load  The reference control settings, and instructions on how they can be implemented, where applicable If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  NA		JA60A700RDWH2746K-1
Supplier's name or trade mark  Replaceability of Light source  Replaceability of Separate control gears  Light sources maker model  Light sources maker model  Light sources maker model  Light source distribution in the range 250 nm to 800 nm. at full-load  The reference control settings, and instructions on how they can be implemented, where applicable  If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source / Driver at the end of its life  Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  Noload power (Pno) (W)  Noload power (Pno) (W)	Type of product	Containing product
Replaceability of Light source Replaceability of separate control gears Light sources maker model Link to EU Product Data base https://eprel.ec.europa.eu/screen/product/lightsources/0  Spectral power distribution in the range 250 nm to 800 nm. at full-load  The reference control settings, and instructions on how they can be implemented, where applicable If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  No-load power (Pno) (W)  Na	Supplier's address	ADEO Services - 135 rue Sadi Carnot - CS00001. 59790 RONCHIN
Replaceability of separate control gears  Light sources maker model  Link to EU Product Data base  https://eprel.ec.europa.eu/screen/product/lightsources/0  Spectral power distribution in the range 250 nm to 800 nm. at full-load  The reference control settings, and instructions on how they can be implemented, where applicable  If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  No-load power (Pno) (W)  Na  Na  No-load power (Pno) (W)  Na  Na  No-load power (Pno) (W)	Supplier's name or trade mark	INSPIRE
Light sources maker model  Link to EU Product Data base  https://eprel.ec.europa.eu/screen/product/lightsources/0  Spectral power distribution in the range 250 nm to 800 nm. at full-load  The reference control settings, and instructions on how they can be implemented, where applicable  If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  NA	Replaceability of Light source	by qualified person
Link to EU Product Data base  https://eprel.ec.europa.eu/screen/product/lightsources/0  Spectral power distribution in the range 250 nm to 800 nm. at full-load  The reference control settings, and instructions on how they can be implemented, where applicable  If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  No-load power (Pno) (W)  No-load power (Pno) (W)	Replaceability of separate control gears	by end-users
Spectral power distribution in the range 250 nm to 800 nm. at full-load  The reference control settings, and instructions on how they can be implemented, where applicable  If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  No-load power (Pno) (W)  Not Applicable  Electrical product must not be thrown out with domestic waste. They me taken to a communal collecting point for environmentally friendly disposatory accordance with local regulations. Contact your local authorities or stock advice on recycling.  GEICO10C0210P-01  8.7W  Containing products  Efficiency in full-load  No-load power (Pno) (W)	Light sources maker model	L-SPL-A12-03-B-V2.0
Spectral power distribution in the range 250 nm to 800 nm. at full-load  The reference control settings, and instructions on how they can be implemented, where applicable  If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  Not Applicable  Electrical product must not be thrown out with domestic waste. They me taken to a communal collecting point for environmentally friendly dispose accordance with local regulations. Contact your local authorities or stock advice on recycling.  GEICO10C0210P-01  8.7W  Containing products  Efficiency in full-load  O.82  No-load power (Pno) (W)	Link to EU Product Data base	https://eprel.ec.europa.eu/screen/product/lightsources/0
they can be implemented, where applicable  If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Not Applicable  Recommendations on how to dispose of the light source for which the data accordance with local regulations. Contact your local authorities or stoc advice on recycling.  GEIC010C0210P-01  8.7W  Containing products  Efficiency in full-load  O.82  No-load power (Pno) (W)		1.0 - 0.8 - 0.6 - 0.4 - 0.2 - 0.3 675 838 1000
to clean up the debris in case of accidental breakage  Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Not Applicable  Recommendations on how to dispose of the light source for the light source for which the driver is intended  Electrical product must not be thrown out with domestic waste. They me taken to a communal collecting point for environmentally friendly dispose accordance with local regulations. Contact your local authorities or stock advice on recycling.  GEIC010C0210P-01  8.7W  Containing products  Efficiency in full-load  0.82  No-load power (Pno) (W)	_	
taken to a communal collecting point for environmentally friendly dispose accordance with local regulations. Contact your local authorities or stock advice on recycling.  Driver maker model  Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  No-load power (Pno) (W)  Taken to a communal collecting point for environmentally friendly dispose accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations. Contact your local authorities or stock accordance with local regulations.		Not Applicable
Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  No-load power (Pno) (W)  NA	/ Driver at the end of its life	Electrical product must not be thrown out with domestic waste. They must be taken to a communal collecting point for environmentally friendly disposal in accordance with local regulations. Contact your local authorities or stockist for advice on recycling.
OLED) or the power of the light source for which the driver is intended (for FL and HID);  Type of light source(s) for which it is intended  Efficiency in full-load  No-load power (Pno) (W)  8.7W  Containing products  0.82	Driver maker model	GEIC010C0210P-01
Efficiency in full-load 0.82  No-load power (Pno) (W) NA	OLED) or the power of the light source for which the	8.7W
No-load power (Pno) (W)	Type of light source(s) for which it is intended	Containing products
	Efficiency in full-load	0.82
	No-load power (Pno) (W)	NA
Standby power (Psb) (W) NA	Standby power (Psb) (W)	NA
Standby power (Pnet) (W) NA	Standby power (Pnet) (W)	NA
Driver suitable for dimming : no	Driver suitable for dimming :	no

