QUALITY	Light Source Technical DataSheet
EAN	3276007822847;3276007822830;3276007822885
Product Supplier reference	TL-CDCID01-Grey;TL-CDCID01-BLUE;TL-CDCID01-KHAKI
Type of product	Containing product
Supplier's address	ADEO Services - 135 rue Sadi Carnot - CS00001. 59790 RONCHIN
Supplier's name or trade mark	INSPIRE
Replaceability of Light source	by qualified person
Replaceability of separate control gears	by qualified person
Light sources maker model	L_WLL-LUNO-2.5W-A V2.0
Link to EU Product Data base	https://eprel.ec.europa.eu/screen/product/lightsources/2104655
Spectral power distribution in the range 250 nm to 800 nm. at full-load	1.0 = 1.410e+00lmW/nm 1.0 - 0.6 - 0.6 - 0.2 - 0.0 - 0.2 - 0.0 - 0.5 - 0.2 - 0.0 - 0.2 - 0.0 - 0.2 - 0.0 - 0.2 - 0.0 - 0.2 -
If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage	Not Applicable
Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU	Electrical product must not be thrown out with domestic waste. They must be taken to a communal collecting point for environmentally friendly disposal in accordance with local regulations. Contact your local authorities or stockist for advice on recycling.
Driver maker model	TL-CDCID01-DRIVER
Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID);	3W
Type of light source(s) for which it is intended	LED
Efficiency in full-load	0,512
No-load power (Pno) (W)	NA
Standby power (Psb) (W)	NA
Standby power (Pnet) (W)	NA
Driver suitable for dimming :	no

