



Light Source Technical DataSheet

| | |
|---|--|
| EAN | 3276007817836 |
| Product Supplier reference | G40-T |
| Type of product | Containing product |
| Supplier's address | ADEO Services - 135 rue Sadi Carnot - CS00001. 59790 RONCHIN |
| Supplier's name or trade mark | INSPIRE |
| Replaceability of Light source | by end-users |
| Replaceability of separate control gears | by end-users |
| Light sources maker model | G40-10 |
| Link to EU Product Data base | https://eprel.ec.europa.eu/screen/product/lightsources/2087975 |
| Spectral power distribution in the range 250 nm to 800 nm. at full-load | |
| If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage | Not Applicable |
| Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU | Electrical product must not be thrown out with domestic waste. They must be taken to a communal collecting point for environmentally friendly disposal in accordance with local regulations. Contact your local authorities or stockist for advice on recycling. |
| Driver maker model | N/A |
| Maximum output power of the driver (for HL, LED and OLED) or the power of the light source for which the driver is intended (for FL and HID); | N/A |
| Type of light source(s) for which it is intended | LED |
| Efficiency in full-load | N/A |
| No-load power (Pno) (W) | N/A |
| Standby power (Psb) (W) | N/A |
| Standby power (Pnet) (W) | N/A |
| Driver suitable for dimming : | no |

Save