















500JS2-65.51 (220-240V)

No.	Description	PIC	Spec/material	QTY
1	Reciprocating rod assembly		40Cr	1
2	Upper slider		ferrum-based powder metallurgy	1
3	Screw ST4. 2x16		Q235	8
4	Screw ST4. 2x32		Q235	2
5	Right handle		PA6-GF30	1
6	Cable press plate		PA6-GF30	1
7	Cable sheath		PVC	1
8	Hex wrench		45#	1
9	Cable		PVC	1
10	Bearing sleeve		chemigum	1
11	Bearing 606		GCr15	1

12	pin		H62	1
13	stator			1
14	Rotor			1
15	Carbon brush		5x8x11	2
16	Carbon brush box		bakelite	2
17	inductance			2
18	Bearing 608		GCr15	1
19	Intermediate bracket		ZL102/GCr15	1
20	Bowl gasket		45#	1
21	Big gear		40Cr	1
22	Iron sleeve		ferrum-based powder metallurgy	1
23	Cylindrical pin 4x18		GCr15	1

24	Reciprocating rod guide sleeve		GCr15	1
25	Baseplate		Q235	1
26	Wheel frame		Q235	1
27	Screw M4X14		Q235	2
28	Wire rack		70#	1
29	Nut M4		Q235	2
30	Switch		PA6-GF30	1
31	buckle		H62	4
32	capacitance			1
33	Stator insert		H62	2
34	Left handle		PA6-GF30	1