

TARIF SAISON 2015












ARROSAGE LOCALISE








CP 094260 / 094300 / 094130 / 094060

Visuel	Référence client	Gencod	Code article	Désignation	Cdt	
--------	------------------	--------	--------------	-------------	-----	--

TUYAUX D'ALIMENTATION PRINCIPALE








CP 094260

		3283460061874  3 283460 061874	1712613Q	Couronne PE noir Ø 13x16 mm 25 m	A1365	6	
		3283460089397  3 283460 089397	1712617W	Couronne PE marron Ø 13x16 mm 25 m	A1465	6	
		3283460061881  3 283460 061881	1712614Y	Couronne PE noir Ø 13x16 mm 50 m	A1366	6	
		3283460061898  3 283460 061898	1712615F	Couronne PE noir Ø 13x16 mm 100 m	A1367	6	

		3283460061911  3 283460 061911	1712623X	Couronne PE noir Ø 17x20 mm 25 m	A1360	6	
		3283460061928  3 283460 061928	1712624E	Couronne PE noir Ø 17x20 mm 50 m	A1361	6	
		3283460061935  3 283460 061935	1712625M	Couronne PE noir Ø 17x20 mm 100 m	A1362	1	









TUYAUX D'ALIMENTATION SECONDAIRE

CP 094260

		3283460066077  3 283460 066077	6781203L	Tuyau micro-conduit noir Ø 4x6 mm 15 m	A1370	10	
		3283460066084  3 283460 066084	6781205B	Tuyau micro-conduit noir Ø 4x6 mm 25 m	A1371	10	
		3283460066091  3 283460 066091	6781206J	Tuyau micro-conduit noir Ø 4x6 mm 50 m	A1372	10	

TUYAUX AQUA GOUT' - GOUTTEURS INCORPORES

CP 094300

		3283460066183  3 283460 066183	6781605Y	Tuyau Aqua Gout' noir Ø 13x16 mm 25m	A1380	1	
		3283460075802  3 283460 075802	6781610R	Tuyau Aqua Gout' marron Ø 13x16 mm 25m	A1480	1	
		3283460077981  3 283460 077981	6781611Z	Tuyau Aqua Gout' marron Ø 13x16 mm 50m	A1481	1	




RAMPE D'ARROSAGE TRIFOG

CP 094130

TARIF SAISON 2015



ARROSAGE LOCALISE




CP 094260 / 094300 / 094130 / 094060


Visuel	Référence client	Gencod	Code article	Désignation	Cdt	
		3283460021724  3 283460 021724	6412500E	Trifog 7,5 mètres	6412500E	10
		3283460021731  3 283460 021731	6412510L	Trifog 15 mètres	6412510L	10

TUYAUX POREUX

CP 094300

		3283460066138  3 283460 066138	6781303R	Kit poreux noir équipé 15 m	A2000	5
		3283460066145  3 283460 066145	6781305G	Kit poreux noir équipé 25 m	A2001	4
		3283460088918  3 283460 088918	6781304Z	Kit poreux noir équipé 25m + minuterie	A2001MI	4

		3283460066152  3 283460 066152	6781316W	Couronne poreux noir 50 m	A2010	2
		3283460066169  3 283460 066169	6781317D	Couronne poreux noir 100 m	A2011	1



K4090



N4063



K4080



A2001MI












KITS COMPLETS


CP 094060

TARIF SAISON 2015

ARROSAGE LOCALISE




CP 094260 / 094300 / 094130 / 094060

Visuel	Référence client	Gencod	Code article	Désignation	Cdt		
		3283460091260  3 283460 091260	6781708B	Kit Jardin et Terrasse	K4090	20	
		3283460082268  3 283460 082268	6781701Y	Kit de base goutte à goutte	N4063	6	
		3283460089403  3 283460 089403	6781706L	Kit Aqua Gout' marron 25 m	K4080	6	
		3283460089410  3 283460 089410	6781707T	Kit Aqua Gout' marron 50 m	K4081	6	



DEPART - FILTRATION SUR CARTE
















CP 094060

		3283460084705  3 283460 084705	6351001R	Kit de départ	L8001	10	
---	--	---	----------	---------------	-------	----	---

TARIF SAISON 2015

ARROSAGE LOCALISE

CP 094260 / 094300 / 094130 / 094060

Visuel	Référence client	Gencod	Code article	Désignation		Cdt	
		3283460084712  3 283460 084712	6351003G	Branchement cannelé F 20x27 - Ø 16 mm	L8005	10	
		3283460092007  3 283460 092007	6351115J	2 adaptateurs automatiques cannelés Ø 16 mm	L8007	10	
		3283460092908  3 283460 092908	6351121K	Purge plastique M 20x27	L8008	10	
		3283460084729  3 283460 084729	6351005X	Régulateur de pression F 20x27 - M 20x27	L8040	10	
		3283460082893  3 283460 082893	6790006X	Vanne de contrôle de débit	A3948	10	

RACCORDS CONDUITE PRINCIPALE SUR CARTE


































CP 094060

		3283460084736  3 283460 084736	6351101X	2 tés Ø 16 mm x M 20x27 x Ø 16 mm	L8061	10	
		3283460084743  3 283460 084743	6351100P	2 tés Ø 16 mm x F 20x27 x Ø 16 mm	L8062	10	
		3283460084750  3 283460 084750	6351102E	2 adaptateurs M 20x27 x Ø 16 mm	L8066	10	
		3283460092878  3 283460 092878	6351118G	2 tés cannelés Ø 16 mm	L8071-2	10	
		3283460084767  3 283460 084767	6351103M	4 tés cannelés Ø 16 mm	L8071	10	
		3283460084774  3 283460 084774	6351104U	10 tés cannelés Ø 16 mm	L807110	10	
		3283460092830  3 283460 092830	6351116R	2 tés cannelés Ø 16 mm x M 15x21 x Ø 16 mm	L8074	10	
		3283460084781  3 283460 084781	6351105C	4 jonctions cannelées Ø 16 mm	L8076	10	
		3283460084798  3 283460 084798	6351106K	10 jonctions cannelées Ø 16 mm	L807610	10	
		3283460084804  3 283460 084804	6351107S	2 jonctions cannelées réduites Ø 20 mm x Ø 16 mm	L8077	10	

TARIF SAISON 2015

ARROSAGE LOCALISE

CP 094260 / 094300 / 094130 / 094060




Visuel	Référence client	Gencod	Code article	Désignation	Cdt		
		3283460092885  3 283460 092885	6351119P	2 coudes cannelés Ø 16 mm	L8081-2	10	
		3283460084811  3 283460 084811	6351108A	4 coudes cannelés Ø 16 mm	L8081	10	
		3283460084828  3 283460 084828	6351109H	10 coudes cannelés Ø 16mm	L808110	10	
		3283460092847  3 283460 092847	6351117Z	2 coudes cannelés Ø 16 mm x M 15x21	L8084	10	
		3283460084835  3 283460 084835	6351110W	4 bouchons cannelés Ø 16 mm	L8086	10	
		3283460084842  3 283460 084842	6351111D	10 bouchons cannelés Ø 16 mm	L808610	10	
		3283460084859  3 283460 084859	6351112L	Vanne d'arrêt Ø 16 mm x Ø 16 mm	L8280	10	
		3283460084866  3 283460 084866	6351113T	Vanne d'arrêt M 20x27 x Ø 16 mm	L8281	10	
		3283460084873  3 283460 084873	6351114B	Vanne d'arrêt M 20x27 x M 20x27	L8282	10	
		3283460084880  3 283460 084880	6351151E	5 piquets de maintien Ø 16 mm / Ø 20 mm	L8090	10	
		3283460084897  3 283460 084897	6351153U	10 colliers de serrage Ø 16 mm	L809610	10	
		3283460096807  3 283460 096807	6351122S	Pince coupe tube Ø 4-6 / 13-16 / 17-20	L8186	10	

En images...



RACCORDS CONDUITE SECONDAIRE SUR CARTE

CP 094060

		3283460093301  3 283460 093301	6351209N	10 jonctions cannelées Ø 6 mm auto-perçantes avec collier de serrage Ø 16 mm	L8154	10	
---	--	---	----------	--	-------	----	---

TARIF SAISON 2015

ARROSAGE LOCALISE

CP 094260 / 094300 / 094130 / 094060







Visuel	Référence client	Gencod	Code article	Désignation		Cdt	
		3283460084910  3 283460 084910	6351200U	10 tés cannelés Ø 6 mm	L8141	10	
		3283460084927  3 283460 084927	6351201C	10 jonctions cannelées Ø 6 mm	L8152	10	
		3283460084934  3 283460 084934	6351207Y	10 coudes cannelés Ø 6 mm	L8160	10	
		3283460084941  3 283460 084941	6351208F	10 croix cannelées Ø 6 mm	L8165	10	
		3283460084958  3 283460 084958	6351202K	10 bouchons cannelés Ø 6 mm	L8170	10	
		3283460084965  3 283460 084965	6351203S	10 bouchons cannelés Ø 6 mm + 1 poinçon	L8180	10	
		3283460084972  3 283460 084972	6351204A	10 piquets de maintien Ø 6 mm	L8190	10	
		3283460084989  3 283460 084989	6351205H	Adaptateur F 20x27 x Ø 6 mm	L8195	10	
		3283460084996  3 283460 084996	6351206Q	5 vannes d'arrêt Ø 6 mm	L8270	10	

Nos emballages...



GOUTTEURS SUR CARTE


























CP 094060

		3283460093325  3 283460 093325	6351305N	10 goutteurs en ligne 2 l/h auto-régulants sur pic	L8207	10	
		3283460085009  3 283460 085009	6351300A	10 goutteurs en ligne 4 l/h	L8205	10	

TARIF SAISON 2015

ARROSAGE LOCALISE

CP 094260 / 094300 / 094130 / 094060







Visuel	Référence client	Gencod	Code article	Désignation	Cdt		
		3283460085016  3 283460 085016	6351306W	10 goutteurs auto régulants 2 l/h	L8217	10	
		3283460085023  3 283460 085023	6351307D	25 goutteurs auto régulants 2 l/h	L821725	10	
		3283460085030  3 283460 085030	6351308L	10 goutteurs auto régulants 4 l/h	L8218	10	
		3283460085047  3 283460 085047	6351309T	25 goutteurs auto régulants 4 l/h	L821825	10	
		3283460085054  3 283460 085054	6351310G	10 goutteurs auto régulants 8 l/h	L8219	10	
		3283460085061  3 283460 085061	6351311P	25 goutteurs auto régulants 8 l/h	L821925	10	
		3283460085078  3 283460 085078	6351314M	10 goutteurs réglables	L8226	10	
		3283460085085  3 283460 085085	6351315U	25 goutteurs réglables	L822625	10	
		3283460085092  3 283460 085092	6351299X	50 goutteurs réglables	L822650	10	
		3283460085108  3 283460 085108	6351316C	10 goutteurs réglables sur pic	L8227	10	

En images...



MICRO ASPERSION SUR CARTE

















































CP 094060

		3283460085115  3 283460 085115	6351320N	10 maxi-jets 90° - rayon 1,7 m	L8242	10	
		3283460085122  3 283460 085122	6351319A	10 maxi-jets 180° - rayon 1,7 m	L8240	10	

TARIF SAISON 2015

ARROSAGE LOCALISE

CP 094260 / 094300 / 094130 / 094060

Visuel	Référence client	Gencod	Code article	Désignation		Cdt	
		3283460085139  3 283460 085139	6351321W	10 maxi-jets 360° - rayon 1,7 m	L8245	10	
		3283460090645  3 283460 090645	6531317H	10 maxi-jets brumisateurs	L8243	10	
		3283460090652  3 283460 090652	6531318Q	10 maxi-jets rectangle	L8241	10	
		3283460085146  3 283460 085146	6351331C	5 brumisateurs	L8244	10	
		3283460085153  3 283460 085153	6351330U	3 micro-arroseurs 360° - rayon 2,6 m	L8255	10	
		3283460085160  3 283460 085160	6351323L	3 vari-jets 90° - rayon 0 à 1,7 m	L8248	10	
		3283460085177  3 283460 085177	6351322D	3 vari-jets 180° - rayon 0 à 1,7 m	L8247	10	
		3283460085184  3 283460 085184	6351324T	3 vari-jets 360° - rayon 0 à 1,7 m	L8252	10	
		3283460064745  3 283460 064745	6350400B	5 tiges rigides 30 cm	A1260	10	
		3283460064752  3 283460 064752	6350401J	Support de tige 30 cm	A1265	10	
		3283460062734  3 283460 062734	6350402R	1 tige + 1 support 30 cm	A1267	10	
		3283460081780  3 283460 081780	6778023Q	Maxi-jets réglable 90° sur pic	A4310	10	
		3283460081773  3 283460 081773	6778022H	Maxi-jets réglable 180° sur pic	A4320	10	
		3283460081766  3 283460 081766	6778021A	Maxi-jets réglable 360° sur pic	A4340	10	
		3283460081803  3 283460 081803	6778025F	Brumisateurs réglable 360° sur pic	A4350	10	
		3283460081797  3 283460 081797	6778024Y	Micro-arroseur réglable 360° sur pic	A4500	10	

TARIF SAISON 2015

ARROSAGE LOCALISE
















CP 094260 / 094300 / 094130 / 094060


Visuel	Référence client	Gencod	Code article	Désignation	Cdt	
--------	------------------	--------	--------------	-------------	-----	--



ECCO *En raisonnant les apports d'eau, vous protégez la nature*
AQUA FLOW®










Performances des goutteurs

 L8217 - 6351306 W <table border="1"> <thead> <tr><th>Bar</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1</td><td>2</td></tr> <tr><td>1,5</td><td>2</td></tr> <tr><td>2</td><td>2</td></tr> <tr><td>3</td><td>2</td></tr> <tr><td>4</td><td>2</td></tr> </tbody> </table> 2L/h <small>auto regulant self compensating għntrn autokompensanti gocciolatori autocompensanti</small>	Bar	L/h	1	2	1,5	2	2	2	3	2	4	2	 L8218 - 6351308 L <table border="1"> <thead> <tr><th>Bar</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1</td><td>4</td></tr> <tr><td>1,5</td><td>4</td></tr> <tr><td>2</td><td>4</td></tr> <tr><td>3</td><td>4</td></tr> <tr><td>4</td><td>4</td></tr> </tbody> </table> 4L/h <small>auto regulant self compensating għntrn autokompensanti gocciolatori autocompensanti</small>	Bar	L/h	1	4	1,5	4	2	4	3	4	4	4	 L8219 - 6351310 G <table border="1"> <thead> <tr><th>Bar</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1</td><td>8</td></tr> <tr><td>1,5</td><td>8</td></tr> <tr><td>2</td><td>8</td></tr> <tr><td>3</td><td>8</td></tr> <tr><td>4</td><td>8</td></tr> </tbody> </table> 8L/h <small>auto regulant self compensating għntrn autokompensanti gocciolatori autocompensanti</small>	Bar	L/h	1	8	1,5	8	2	8	3	8	4	8
Bar	L/h																																					
1	2																																					
1,5	2																																					
2	2																																					
3	2																																					
4	2																																					
Bar	L/h																																					
1	4																																					
1,5	4																																					
2	4																																					
3	4																																					
4	4																																					
Bar	L/h																																					
1	8																																					
1,5	8																																					
2	8																																					
3	8																																					
4	8																																					
 L8255 - 6351330 U <table border="1"> <thead> <tr><th>Bar</th><th>Øm</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1,0</td><td>5,00</td><td>52</td></tr> <tr><td>1,5</td><td>5,40</td><td>60</td></tr> <tr><td>1,7</td><td>5,60</td><td>65</td></tr> </tbody> </table>	Bar	Øm	L/h	1,0	5,00	52	1,5	5,40	60	1,7	5,60	65	 L8244 - 6351331 C <table border="1"> <thead> <tr><th>Bar</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1,0</td><td>12</td></tr> <tr><td>1,5</td><td>13</td></tr> <tr><td>2,0</td><td>14</td></tr> </tbody> </table>	Bar	L/h	1,0	12	1,5	13	2,0	14	 L8245 - 6351321 W <table border="1"> <thead> <tr><th>Bar</th><th>Øm</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1,0</td><td>3,6</td><td>35</td></tr> <tr><td>1,5</td><td>4,0</td><td>40</td></tr> <tr><td>1,7</td><td>4,2</td><td>45</td></tr> </tbody> </table>	Bar	Øm	L/h	1,0	3,6	35	1,5	4,0	40	1,7	4,2	45				
Bar	Øm	L/h																																				
1,0	5,00	52																																				
1,5	5,40	60																																				
1,7	5,60	65																																				
Bar	L/h																																					
1,0	12																																					
1,5	13																																					
2,0	14																																					
Bar	Øm	L/h																																				
1,0	3,6	35																																				
1,5	4,0	40																																				
1,7	4,2	45																																				
 L8247 - 6351322 D <table border="1"> <thead> <tr><th>Bar</th><th>m</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1,0</td><td>1,6</td><td>35</td></tr> <tr><td>1,5</td><td>1,9</td><td>40</td></tr> <tr><td>1,7</td><td>2,0</td><td>45</td></tr> </tbody> </table>	Bar	m	L/h	1,0	1,6	35	1,5	1,9	40	1,7	2,0	45	 L8242 - 6351320 N <table border="1"> <thead> <tr><th>Bar</th><th>m</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1,0</td><td>1,80</td><td>35</td></tr> <tr><td>1,5</td><td>2,10</td><td>40</td></tr> <tr><td>1,7</td><td>2,20</td><td>45</td></tr> </tbody> </table>	Bar	m	L/h	1,0	1,80	35	1,5	2,10	40	1,7	2,20	45	 L8205 - 6351300 A <table border="1"> <thead> <tr><th>Bar</th><th>L/h</th></tr> </thead> <tbody> <tr><td>0,5</td><td>2,4</td></tr> <tr><td>1,0</td><td>4,0</td></tr> <tr><td>1,5</td><td>4,9</td></tr> <tr><td>2,0</td><td>5,9</td></tr> <tr><td>2,5</td><td>6,8</td></tr> </tbody> </table> 4L/h	Bar	L/h	0,5	2,4	1,0	4,0	1,5	4,9	2,0	5,9	2,5	6,8
Bar	m	L/h																																				
1,0	1,6	35																																				
1,5	1,9	40																																				
1,7	2,0	45																																				
Bar	m	L/h																																				
1,0	1,80	35																																				
1,5	2,10	40																																				
1,7	2,20	45																																				
Bar	L/h																																					
0,5	2,4																																					
1,0	4,0																																					
1,5	4,9																																					
2,0	5,9																																					
2,5	6,8																																					
 L8248 - 6351323 L <table border="1"> <thead> <tr><th>Bar</th><th>m</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1,0</td><td>1,8</td><td>35</td></tr> <tr><td>1,5</td><td>2,1</td><td>40</td></tr> <tr><td>1,7</td><td>2,2</td><td>45</td></tr> </tbody> </table>	Bar	m	L/h	1,0	1,8	35	1,5	2,1	40	1,7	2,2	45	 L8240 - 6351319 A <table border="1"> <thead> <tr><th>Bar</th><th>m</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1,0</td><td>1,60</td><td>35</td></tr> <tr><td>1,5</td><td>1,90</td><td>40</td></tr> <tr><td>1,7</td><td>2,00</td><td>45</td></tr> </tbody> </table>	Bar	m	L/h	1,0	1,60	35	1,5	1,90	40	1,7	2,00	45	 L8252 - 6351324 T <table border="1"> <thead> <tr><th>Bar</th><th>Øm</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1,0</td><td>3,6</td><td>35</td></tr> <tr><td>1,5</td><td>4,0</td><td>40</td></tr> <tr><td>1,7</td><td>4,2</td><td>45</td></tr> </tbody> </table>	Bar	Øm	L/h	1,0	3,6	35	1,5	4,0	40	1,7	4,2	45
Bar	m	L/h																																				
1,0	1,8	35																																				
1,5	2,1	40																																				
1,7	2,2	45																																				
Bar	m	L/h																																				
1,0	1,60	35																																				
1,5	1,90	40																																				
1,7	2,00	45																																				
Bar	Øm	L/h																																				
1,0	3,6	35																																				
1,5	4,0	40																																				
1,7	4,2	45																																				
 L8226 - 6351314 M <table border="1"> <thead> <tr><th>Bar</th><th>Øm</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1</td><td>0,5</td><td>0-40</td></tr> <tr><td>1,5</td><td>0,6</td><td>0-50</td></tr> <tr><td>1,7</td><td>0,8</td><td>0-60</td></tr> </tbody> </table>	Bar	Øm	L/h	1	0,5	0-40	1,5	0,6	0-50	1,7	0,8	0-60	 L8227 - 6351316 C <table border="1"> <thead> <tr><th>Bar</th><th>Ø</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1</td><td>0,5</td><td>0 à 40</td></tr> <tr><td>1,5</td><td>0,6</td><td>0 à 50</td></tr> <tr><td>1,7</td><td>0,8</td><td>0 à 60</td></tr> </tbody> </table>	Bar	Ø	L/h	1	0,5	0 à 40	1,5	0,6	0 à 50	1,7	0,8	0 à 60	 D1215 - 6350369 D <table border="1"> <thead> <tr><th>Bar</th><th>L/h</th></tr> </thead> <tbody> <tr><td>1</td><td>2</td></tr> <tr><td>1,5</td><td>2,3</td></tr> <tr><td>2</td><td>2,5</td></tr> </tbody> </table>	Bar	L/h	1	2	1,5	2,3	2	2,5				
Bar	Øm	L/h																																				
1	0,5	0-40																																				
1,5	0,6	0-50																																				
1,7	0,8	0-60																																				
Bar	Ø	L/h																																				
1	0,5	0 à 40																																				
1,5	0,6	0 à 50																																				
1,7	0,8	0 à 60																																				
Bar	L/h																																					
1	2																																					
1,5	2,3																																					
2	2,5																																					



BRANCHEMENTS SEMI VRAC










CP 094060

	3283460071996 	6350013J	Branchement extra cannelé F 20x27 x Ø 16 mm	D1005	10	
	3283460078230 	6350012B	Branchement extra cannelé F 20x27 x Ø 20 mm	D1006	10	
	3283460093318 	6350601U	Filtre / Régulateur de pression M 20x27 – M 20x27	D1043	10	

TARIF SAISON 2015

ARROSAGE LOCALISE

CP 094260 / 094300 / 094130 / 094060

Visuel	Référence client	Gencod	Code article	Désignation	Cdt		
		3283460063939  3 283460 063939	6350014R	Filtre + bouchon d'entretien M 20x27 - M 20x27	D1030	10	
		3283460077547  3 283460 077547	6350600M	Filtre en ligne Ø 16 mm	D1032	10	
		3283460078094  3 283460 078094	6350011T	Régulateur de pression F 20x27 x M 20x27	D1040	10	

RACCORDS CONDUITES PRINCIPALES SEMI VRAC













CP 094060

		3283460063830  3 283460 063830	6350122N	Jonction extra Ø 16 mm	D1630	10	
		3283460078100  3 283460 078100	6350131M	Jonction extra Ø 20 mm	D2030	10	
		3283460063854  3 283460 063854	6350124D	Coude extra Ø 16 mm	D1650	10	
		3283460092861  3 283460 092861	6350128J	Coude extra Ø 16 mm x M 15x21	D1655	10	
		3283460078117  3 283460 078117	6350132U	Coude extra Ø 20 mm	D2050	10	
		3283460063847  3 283460 063847	6350123W	Coude extra F 20x27	D1635	10	
		3283460063823  3 283460 063823	6350121F	Té extra Ø 16 mm	D1620	10	
		3283460092854  3 283460 092854	6350127B	Té extra Ø 16 mm x M 15x21 x Ø 16 mm	D1645	10	
		3283460078124  3 283460 078124	6350133C	Té extra Ø 20 mm	D2020	10	
		3283460063861  3 283460 063861	6350125L	Bouchon extra Ø 16 mm	D1660	10	
		3283460078131  3 283460 078131	6350134K	Bouchon extra Ø 20 mm	D2060	10	
		3283460063816  3 283460 063816	6350120Y	Té extra Ø 16 mm x F 20x27 x Ø 16 mm	D1605	10	


TARIF SAISON 2015

ARROSAGE LOCALISE

CP 094260 / 094300 / 094130 / 094060
















Visuel	Référence client	Gencod	Code article	Désignation	Cdt		
		3283460063878  3 283460 063878	6350126T	Vanne d'arrêt extra Ø 16 mm	D1670	10	
		3283460078148  3 283460 078148	6350135S	Vanne d'arrêt extra Ø 20 mm	D2070	10	
		3283460063885  3 283460 063885	6350161G	10 piquets de maintien Ø 16 mm / Ø 20mm	D1090	10	
			6720001L	Piquet de maintien Ø 16 mm / Ø 20mm Vrac	1090V	100	
		3283460077554  3 283460 077554	6350610T	Piquet de maintien Ø 16 mm / Ø 20 mm	D1092	10	

En images...



RACCORDS CONDUITES SECONDAIRES SEMI VRAC



















CP 094060

		3283460063908  3 283460 063908	6350211E	25 jonctions Ø 6 mm	D1152	10	
		3283460063915  3 283460 063915	6350210X	25 té Ø 6 mm	D1141	10	
		3283460063922  3 283460 063922	6350213U	20 bouchons Ø 6 mm	D1180	10	
		3283460063984  3 283460 063984	6350371Z	25 piquets de maintien Ø 6 mm	D1190	10	
		3283460071576  3 283460 071576	6350214C	Poinçon pro	D1181	10	

TARIF SAISON 2015


















ARROSAGE LOCALISE

CP 094260 / 094300 / 094130 / 094060

Visuel	Référence client	Gencod	Code article	Désignation	Cdt		
		3283460086822  3 283460 086822	6420082P	Pince perforatrice 16/20 mm	D1184	10	
		3283460074935  3 283460 074935	6350575Q	5 tés cannelés Ø 16 mm	D1071-5	10	
		3283460074959  3 283460 074959	6350585X	5 coudes cannelés Ø 16 mm	D1081-5	10	
		3283460074928  3 283460 074928	6350570C	5 jonctions cannelées Ø 16 mm	D1076-5	10	
		3283460074942  3 283460 074942	6350580J	5 bouchons cannelés Ø 16 mm	D1086-5	10	
		3283460074911  3 283460 074911	6350565J	10 colliers Ø 16 mm	D1096-10	10	










GOUTTEURS SEMI VRAC

CP 094060

		3283460071606  3 283460 071606	6350369D	100 goutteurs standards 2 l/h	D1215	10	
		3283460063977  3 283460 063977	6350368W	25 goutteurs en ligne 4 l/h	D1205	10	
		3283460073877  3 283460 073877	6350367N	50 goutteurs auto-régulants 4 l/h	D1221	10	
		3283460063953  3 283460 063953	6350365Y	50 goutteurs réglables	D1225	10	
		3283460063960  3 283460 063960	6350366F	100 goutteurs réglables	D1224	10	
		3283460064042  3 283460 064042	6778015Z	Goutteur réglable sur pic	D1227	100	

ARROSEURS AUTONOMES - CONES EN TERRE CUITE





CP 094060

		8012526042657  8 012526 042657	6350539U	Set 4 Arroseurs autonomes AcquaGo Maxy	(Set AcquaGo Maxy)	40	
		8012526042039  8 012526 042039	6350541Q	3 Arroseurs autonomes AcquaGo mini	(AcquaGo Mini)	72	
		8012526042053  8 012526 042053	6350542Y	2 Arroseurs autonomes AcquaGo maxy	AcquaGo Maxy	72	

TARIF SAISON 2015



ARROSAGE LOCALISE

CP 094260 / 094300 / 094130 / 094060

Visuel	Référence client	Gencod	Code article	Désignation	Cdt	
		8012526042077 	6350544N	3 Arroseurs autonomes Hydroplant Plus	Hydroplant Plus	72
		8012526042091 	6350545W	2 Arroseurs autonomes Florali	Florali	60

GELS D'ARROSAGE

CP 094060

		8012526037295 	6350538M	Gel d'arrosage 330 ml Aquaflu	Aquaflu	24
---	--	--	----------	-------------------------------	---------	----

En images...



The image section displays four product lines: Aquago mini, Aquago maxy, Hydroplant+, and Florali. Each line includes a diagram showing the irrigator installed on a potted plant with dimensions (e.g., 15-25 cm for Aquago mini, 25-35 cm for Aquago maxy, 15-25 cm for Hydroplant+ and Florali). Below the diagrams are images of the product packaging boxes, which specify watering capacity (e.g., 7-10 cl for Aquago mini, 7-20 cl for Aquago maxy, 7-10 cl for Hydroplant+, 7-15 cl for Florali) and a 24-hour timer. At the bottom, there are images of retail display stands for each product line, with the 'AQUA FLOW' brand name visible on the central stand.